



D'ACCREDITATION

Laboratoire du CHU de RENNES

Site de Pontchaillou
2 Rue Henri Le Guilloux
35033 RENNES Cedex 9
FRANCE

est accrédité
is accredited

par la section Santé Humaine
by Healthcare section

selon la norme NF EN ISO 15189 et les règles d'application du Cofrac
sous le ou les numéro(s)

*in compliance with ISO 15189 standard and the Cofrac rules
of application under n°*

8-3366

Pour : des activités d'examens médicaux
For: medical examination activities

Les activités couvertes et la validité de l'accréditation ainsi que les sites concernés sont précisés
dans la ou les attestation(s) en vigueur qui lui a (ont) été délivrée(s).

Durant cette période, l'organisme s'engage à respecter à tout moment les exigences de l'accréditation.

*The activities covered and the validity of accreditation as well as concerned sites are stipulated
in the accreditation certificate in force which has been issued with it.
During this period, the organisation undertakes to abide at all times by the requirements of the accreditation.*

Le Directeur Général
General Director

Bernard Doroszczuk



Joint IAF-ILAC-ISO Communiqué
on the
***Management system requirements of ISO 15189:2007 - Medical laboratories -
Particular requirements for quality and competence***

A medical laboratory's fulfilment of the requirements of ISO 15189 : 2007 means the laboratory meets both the technical competence requirements and the **management system requirements** that are necessary for it to consistently deliver technically valid test results. The **management system requirements** in ISO 15189 (Section 4) are written in a language relevant to a medical laboratories operations and meet the principles of ISO 9001:2008 **Quality management systems - Requirements** and are aligned with its pertinent requirements.

A handwritten signature in black ink, appearing to read "H. Jodde".

IAF Chair

A handwritten signature in black ink, appearing to read "Guy".

ILAC Chair

A handwritten signature in blue ink, appearing to read "Bob Steele".

ISO Secretary General